



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

## 1. Identification

**Product identifier** C36000, C35300

**Other means of identification**

**SDS number** FAWSDS-13

**Synonyms** -

**Recommended use** None known.

**Recommended restrictions** None known.

### Manufacturer/Importer/Supplier/Distributor information

**Manufacturer/Supplier**

Fisk Alloy, Inc.  
PO Box 26,  
10 Thomas Road,  
Hawthorne, NJ 07507, USA.

**General Assistance**

Call Fisk Alloy at: 973 825 8500.

**E-Mail**

Fiskalloy.com.

**Contact Person**

None known.

**Emergency Telephone**

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC AT 800-424-9300.

## 2. Hazard(s) Identification

**Classification of the substance or mixture** Not classified.

**Label elements**

**GHS-US Labeling**

No labeling applicable.

**Hazard(s) not otherwise classified (HNOC)**

This product is present in a massive form as an alloy. It does not present the same hazards when the individual components are in their powdered forms. The materials present in this product in their powdered forms present aquatic toxicity to the environment, pyrophoricity, flammability, self-heating capabilities, carcinogenicity, water reactivity, and acute toxicity. When processed or where dust is generated a combustible dust hazard may be present. Avoid generating dust, generating sparks, ignition sources, and take all precautions.

Inhalation of dusts and fumes can cause metal fume fever. Symptoms can include a metallic or sweet taste in the mouth, sweating, shivering, headache, throat irritation, fever, chills, thirstiness, muscle aches, nausea, vomiting, weakness, fatigue, and shortness of breath.

Under normal use and handling of the solid form of this material there are few health hazards. Cutting, welding, melting, grinding etc. of these materials will produce dust, fume or particulate containing the component elements of these materials. Exposure to the dust, fume or particulate of these materials may present significant health hazards. Exposure to dust or fume may cause irritation of the eyes, skin



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

and respiratory tract. Fine particulates dispersed in air may present an explosion hazard.

### 3. Composition/information on ingredients

#### Substances:

Name	CAS number	%
Copper	7440-50-8	60-63
Zinc	7440-66-6	35-39
Lead	7439-92-1	1.5-3.5
Iron	7439-89-6	0.0-0.35

### 4. First-aid measures

#### Inhalation

When symptoms occur: go into open air and ventilate suspected area. Keep at rest and in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

#### Skin contact

Cool skin rapidly with cold water after contact with molten product. Removal of solidified molten material from skin requires medical assistance. Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash with plenty of soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation persists.

#### Eye contact

Removal of solidified molten material from the eyes requires medical assistance. Immediately rinse with water for a prolonged period (at least 15 minutes) while holding the eyelids wide open. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

#### Ingestion

Ingestion is unlikely due to physical state. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### Most important symptoms/effects, acute and delayed

**Inhalation:** Inhalation of dusts and fumes can cause metal fume fever. Symptoms can include a metallic taste in the mouth, sweating, shivering, headache, throat irritation, fever, chills, thirstiness, muscle aches, nausea, vomiting, weakness, fatigue, and shortness of breath.

**Skin Contact:** May cause an allergic skin reaction. Dust from



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

physical alteration of this product causes skin irritation. Causes severe skin burns. Contact with fumes or metal powder will irritate skin. Contact with hot, molten metal will cause thermal burns. Dust may cause irritation in skin folds or by contact in combination with tight clothing. Mechanical damage via flying particles and chipped slag is possible.

**Eye Contact:** Dust may cause mechanical irritation to eyes, nose, throat, and lungs.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms :** Copper: Overexposure to fumes may cause metal fume fever (chills, muscle aches, nausea, fever, dry throat, cough, weakness, lassitude); metallic or sweet taste; Discoloration of skin and hair. Tissue damage of mucous membranes may follow chronic dust exposure. Zinc: Prolonged exposure to high concentrations of zinc fumes may cause "zinc shakes", an involuntary twitching of the muscles. Otherwise, zinc is non-toxic. Lead: Exposure can result in lassitude (weakness, exhaustion), insomnia; facial pallor; anorexia, weight loss, malnutrition; constipation, abdominal pain, colic; anemia; gingival lead line; tremor; encephalopathy; kidney disease; hypertension. Iron: Inhalation of iron oxide fumes undergoing decomposition may cause irritation and flu-like symptoms; otherwise iron oxide is not hazardous.

**Indication of immediate medical attention and special treatment needed**

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information**

IF exposed or concerned: Get medical advice/attention. Never give anything by mouth to an unconscious person.

## 5. Fire-fighting measures

**Suitable extinguishing media**

For localized powder fires, smother with dry sand, dry dolomite, sodium chloride or soda ash. Use fire-extinguishing media appropriate to fight surrounding fire.

**Unsuitable extinguishing media**

Do not use a heavy water stream. Use of heavy stream of water may spread fire. Do not use water when molten material is involved, may react violently or explosively on contact with water.

**Specific hazards arising from the chemical**

In molten state: reacts violently with water (moisture). Dust may cause an ignitable and/or an explosive atmosphere.



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

## Special protective equipment and precautions for firefighters

**Precautionary Measures Fire:** Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**General measures:** Do not handle until all safety precautions have been read and understood. Do not breathe vapors from molten product. Avoid all eye and skin contact and do not breathe dust, fumes, and vapors.

**For non-emergency personnel:** Use appropriate personal protection equipment (PPE). Evacuate unnecessary personnel.

**For emergency personnel:** Equip cleanup crew with proper protection. Ventilate area

### Environmental precautions Methods and materials for containment and cleaning up

Prevent entry to sewers and public waters.

Contain and collect as any solid. Clear up spills immediately and dispose of waste safely. For particulates and dust: Avoid actions that cause dust to become airborne during clean-up such as dry sweeping or using compressed air. Use PPE described in Section 8. Vacuum must be fitted with HEPA filter to prevent release of particulates during clean-up.

## 7. Handling and storage

### Precautions for safe handling

May generate flammable/explosive dusts or turnings when brushed, machined or ground. Use care during processing to minimize generation of dust. Where excessive dust may result, use approved respiratory protection equipment. Heating of product can release toxic or irritating fumes; ensure proper ventilation is employed, proper precautions are enforced, and applicable regulations are followed. Inhalation of fumes may cause metal fume fever.

### Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a dry, cool and well-ventilated place.

**Incompatible Materials:** Strong acids, strong bases and strong oxidizers. Alkalis. Metal oxides. Water, humidity. Corrosive substances in contact with metals may produce flammable



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

hydrogen gas.

## 8. Exposure controls/personal protection

### Occupational exposure limits

Country	Type	Copper	Lead
		Value (mg/m <sup>3</sup> )	Value (mg/m <sup>3</sup> )
Belgium	TWA	0.2(a),1(b,i)	0.15(a,b)
Brazil	TWA	-	0.1
Canada-Alberta	TWA	0.2(a),1(b,i)	0.05(a,b)
	STEL	0.6(a), 2(b,i)	-
Canada-British Columbia	TWA	1(b,i), 0.2(a)	0.05
Canada-Ontario	TWA	-	0.05
Canada-Quebec	TWA	0.2(j), 1(b,k)	0.05
China	TWA	1(b), 0.2(a)	0.03(a), 0.05(b)
Denmark	TWA	1(b)	0.05(b,j)
France	TWA	1(b,i), 0.2(a)	0.1(m)
	STEL	2(b,i)	-
Germany	TWA	-	-
Hong Kong	TWA	0.2(a), 1(b,i)	0.05
India	TWA	0.2(a)	0.15(a,b)
	STEL	-	-
Italy	-	-	-
Japan	TWA	-	0.1
Korea	TWA	1(b,i), 0.1(a,f)	0.05
	STEL	2(b,i)	-
Malaysia	TWA	0.2(a), 1(b,i)	0.05
Mexico	TWA	0.2(a), 1(b,k)	0.15
	STEL	2(a,b,k)	-
Poland	TWA	0.2	0.05
Portugal	-	-	-
Russia	TWA	1/0.5 ( MAC)	0.05(l)
Singapore	TWA	0.2(a), 1(b,i)	0.15

Sweden	LLV	1(c), 0.2(f)	0.1(c),0.5(f)
Taiwan, R. O. C.	TWA	1(b,i)	0.1
United Kingdom	TWA	0.2(a), 1(b.i)	0.15
	STEL	2(b,i)	-
USA ACGIH	TWA	-	0.05
USA OSHA	TWA	1	0.050
USA NIOSH	TWA	1	0.050

**NOTE:** a- fume, b-dust, c-total dust, d-inhalable fraction, e-inhalable dust, f-respirable dust, g-inhalable fume, h-respirable fume, i-mist, j-smoke, k-fog, l-aerosol, m-inhalable aerosol, n-respirable aerosol, o-respirable fraction.

**Appropriate engineering controls**

Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. Ensure all national/local regulations are observed.

**Individual protection measures, such as personal protective equipment**



**Eye/face protection**

Chemical goggles or safety glasses.

**Skin protection**

**Hand protection**

Wear chemically resistant protective gloves. If material is hot, wear thermally resistant protective gloves.

**Other**

Chemically resistant materials and fabrics. With molten material wear thermally protective clothing. If generating a dust, wash thoroughly after handling, especially before eating, drinking, or smoking. Wash contaminated clothing before reuse.

**Respiratory protection**

Respiratory protection not normally needed. If dusting occurs or fumes are generated above the established occupational exposure limits, use a NIOSH-approved half-face or full-face respirator equipped with High Efficiency Particulate (HEPA) filter cartridges.

**General hygiene considerations**

Do not eat, drink, or smoke while using this product in dust form.

**9. Physical and chemical properties**

**Appearance**

Brass.



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

<b>Physical state</b>	Solid.
<b>Form</b>	Solid.
<b>Color</b>	Not available.
<b>Odor</b>	None.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not applicable.
<b>Melting point/freezing point</b>	L:1650-1670°F (Melting point) S:1630°F (Melting point)
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit –lower (%)</b>	Not available.
<b>Flammability limit –upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not applicable.
<b>Explosive limit - upper (%)</b>	Not applicable..
<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Relative density (Specific gravity)</b>	8.5
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Negligible.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	Not applicable.
<b>Viscosity</b>	Not applicable.

## 10. Stability and reactivity

<b>Reactivity</b>	Hazardous reactions will not occur under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions and stable in solid form.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization will not occur.
<b>Conditions to avoid</b>	Avoid contact with carbon monoxide, particularly at temperatures between 50°C and 300°C, to prevent formation of nickel carbonyl which is toxic and a carcinogen.
<b>Incompatible materials</b>	Acetylene, chlorine.
<b>Hazardous decomposition products</b>	Inhalation of fumes may cause metal fume fever. Oxides of iron and carbon.

## 11. Toxicological information



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

## Information on likely routes of exposure

<b>Ingestion</b>	Ingestion is likely to be harmful or have adverse effects.
<b>Inhalation</b>	Inhalation of dusts and fumes can cause metal fume fever. Symptoms can include a metallic or sweet taste in the mouth, sweating, shivering, headache, throat irritation, fever, chills, thirstiness, muscle aches, nausea, vomiting, weakness, fatigue, and shortness of breath.
<b>Skin contact</b>	May cause an allergic skin reaction. Contact with fumes or metal powder will irritate skin. Contact with hot, molten metal will cause thermal burns. Dust may cause irritation in skin folds or by contact in combination with tight clothing. Mechanical damage via flying particles and chipped slag is possible.
<b>Eye contact</b>	Dust may cause mechanical irritation to eyes.
<b>Chronic symptoms</b>	In massive form, no hazard exists. If physically altered to present slivers, ribbons, dusts or fumes from molten material: Iron: Inhalation of iron oxide fumes undergoing decomposition may cause irritation and flu-like symptoms, otherwise iron oxide is not hazardous. Nickel: May cause a form of dermatitis known as nickel itch and intestinal irritation, which may cause disorders, convulsions and asphyxia.

## Numerical measures of toxicity – Ingredients:

Components	Test	Species	Test Results
Copper(CAS#7440-50-8)	Inhalation LC <sub>50</sub>	Rat	0.733 mg/L
Zinc(CAS# 7440-66-6)	Oral LD <sub>50</sub>	Rat	2000mg/kg
	Inhalation LC <sub>50</sub>	Rat	5.41mg/l
Iron (CAS#7439-89-6)	Oral LD <sub>50</sub>	Rat	30 g/kg

<b>Skin corrosion/irritation</b>	Not Classified.
<b>Serious eye damage/eye irritation</b>	Not Classified.
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	Not Classified.
<b>Skin sensitization</b>	Not Classified.
<b>Germ cell mutagenicity</b>	Not Classified. This product is not known or reported to be mutagenic. Nickel has been shown to be mutagenic in <i>in vitro</i> studies.
<b>Carcinogenicity</b>	Not Classified. The International Agency for Research on Cancer (IARC) has classified nickel and lead as possibly carcinogenic to humans, group 2B. The National Toxicology Program (NTP) classifies nickel as a known human carcinogen and lead as Reasonably anticipated to be human carcinogens.
<b>Reproductive toxicity</b>	Not Classified. This product is not known or reported to cause reproductive or developmental effects. Exposure of male rats to





# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

high concentrations of nickel caused testicular degeneration. However, symptoms of systemic toxicity, including severe weight loss, were also observed at the same concentrations indicating that the testicular effects were secondary to the frank toxicity. Exposure at these levels is highly unlikely under normal working conditions.

**Specific target organ toxicity - single exposure** Not Classified.

**Specific target organ toxicity - repeated exposure** Not Classified.

**Aspiration hazard** Not Classified.

## 12. Ecological information

### Numerical measures of toxicity

Components	Test	Species	Test Results
Copper(CAS#7440-50-8)	Fish LC <sub>50</sub>	oncorhynchus mykiss ( <i>Salmo gairdneri</i> )	0.017mg/l,96 Hours
	Crustacea NOEC	Water Flea ( <i>Daphnia magna</i> )	0.002mg/l,21days
	AlgaeEC <sub>50</sub>	Korshikov( <i>Selenastrum capricornutum</i> )	0.085mg/l,3Weeks
Zinc(CAS#7440-66-6)	Fish LC <sub>50</sub>	Mottled sculpin ( <i>Cottus bairdii</i> )	0.439mg/l, 96 Hours
	Crustacea LC <sub>50</sub>	Water Flea ( <i>Daphnia magna</i> )	1.833mg/l,48 Hours
Lead(CAS#7439-92-1)	Fish LC <sub>50</sub>	Oncorhynchus mykiss ( <i>Salmo gairdneri</i> )	0.22mg/l,28Days
Iron (CAS#7439-89-6)	Fish LC <sub>50</sub>	Zebrafish ( <i>Danio rerio</i> )	> 10000 mg/l, 96 Hours
	Crustacea LC <sub>50</sub>	Water Flea ( <i>Daphnia magna</i> )	9.6 mg/l, 48 Hours

**Persistence and degradability** No data available.

**Bioaccumulative potential** No data available.

**Mobility in soil** No data available.

**Other adverse effects** No known significant effects or critical hazards.

## 13. Disposal considerations

**Disposal instructions** Dispose of in accordance with local regulations. Do not contaminate ponds, waterways or ditches with chemical or used containers.

**Contaminated packaging** None known.



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

## 14. Transport information

In Accordance with DOT	Not regulated for transport.
In Accordance with IMDG	Not regulated for transport.
In Accordance with IATA	Not regulated for transport.

## 15. Regulatory information

**US federal regulations** Substance is on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Sub pt. D)

None of the components in this product is listed.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Copper(CAS#7440-50-8)	Listed
Lead(CAS#7439-92-1)	Listed

### CERCLA Hazardous Substance List (40 CFR 302.4)

Copper(CAS#7440-50-8)	Listed
Zinc(CAS#7440-66-6)	Listed
Lead(CAS#7439-92-1)	Listed

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Hazard categories</b>	Immediate Hazard	-	No
	Delayed Hazard	-	No
	Fire Hazard	-	No
	Pressure Hazard	-	No
	Reactivity Hazard	-	No

### SARA 302 Extremely hazardous substance

Not listed

**SARA 311/312 Hazardous chemical** No

### SARA 313 (TRI reporting)

Name	CAS number	% by wt.
Copper	7440-50-8	60-63
Zinc	7440-66-6	35-39
Lead	7439-92-1	1.5-3.5

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

None of the components in this product is listed.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

None of the components in this product is listed.

#### Safe Drinking Water Act (SDWA)

None of the components in this product is listed.



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

## US State regulations

WARNING: This product contains chemicals known to the State of California to cause cancer.

### US. Massachusetts RTK – Substance List

Copper(CAS#7440-50-8)

Zinc(CAS#7440-66-6)

Lead(CAS#7439-92-1)

### US. New Jersey Worker and Community Right-to-Know Act

Copper(CAS#7440-50-8)

Zinc(CAS#7440-66-6)

Lead(CAS#7439-92-1)

### US. Pennsylvania Worker and Community Right-to-Know Law

Copper(CAS#7440-50-8)

Zinc(CAS#7440-66-6)

Lead(CAS#7439-92-1)

### US. California Proposition 65

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance**

Lead(CAS#7439-92-1)

## Canada regulations

This substance has not been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR).

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non- Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemical List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control ACT (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).



# Safety Data Sheet

Revised Date: 08-12-2015

FAWSDS-13

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

<b>Issue date</b>	-
<b>Revision date</b>	08-04-2015
<b>Version #</b>	-
<b>References</b>	ACGIH: Documentation of the Threshold Limit Values and Biological Exposure indices ECHA: European Chemicals Agency HSDB: Hazardous Substances Data Bank GESTIS : Information system on hazardous substances of the German Social Accident Insurance IARC: International Agency for Research on Cancer NIOSH: The National Institute for Occupational Safety and Health NTP: National Toxicology Program NLM: Hazardous Substances Data Base OECD : Organization for Economic Co-operation and Development OSHA: Occupational Safety and Health Administration

**Disclaimer:** The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of use, or because of applicable laws or government regulations.