



# MAB42E RoHS Compliant, Lead-Free Machinable Brass

---

## Introduction

MA42E is a RoHS compliant, lead-free copper alloy with good machinability, high strength, and excellent ductility. Lead content is limited amounts for compliance with a growing range of legislative and regulatory guidelines. MA42E is targeted for electronic applications, however the alloy is recommended for any machined brass part requiring lead-free product.

To learn more please contact our [sales department](#).

# MAB42E RoHS Compliant, Lead-Free Machinable Brass

Chemical Composition - Limits	Chemical Composition - Nominal
Cu 57.0-58.5	Cu 58
Pb 0.1 max	Zn 42
Zn rem	
Fe 0.1-0.5	
Ni 0.1-0.5	
Sn 0.1-0.5	
Mn 0.1 max	
Si 0.1 max	

  

Specifications	Fabrication Index	
RoHS 2002/53/CE	Soldering	5 - Excellent
RoHS 2002/96/CE	Hot Worked	5 - Excellent
	Cold Worked	4 - Very Good
	Brazing	4 - Very Good
	Machinability	4 - Very Good

## Physical Properties

Annealing Range (Min)	900 °F
Annealing Range (Max)	1075 °F
Density	0.306 lb/in <sup>3</sup>
Electrical Resistivity (Annealed)	41.5 Ω-cir-mil/ft @ 68 °F
Electrical Conductivity (Annealed)	25% IACS @ 68 °F
Thermal Conductivity	65 Btu/ft <sup>2</sup> /ft·hr/°F @ 68 °F
Coefficient of Thermal Expansion	11.1 per °F (68-572 °F)
Modulus of Elasticity (Tension)	15 ksi
Melting Point (Solidus)	1,620 °F

# MAB42E RoHS Compliant, Lead-Free Machinable Brass

Melting Point (Liquidus)

1,880 °F

---

Fisk Alloy Wire Inc.  
P.O. Box 26  
10 Thomas Road N.  
Hawthorne, NJ 07506 U.S.A.

Phone: (973) 825-8500  
Fax: (973) 427-4585  
E-mail: [sales@fiskalloy.com](mailto:sales@fiskalloy.com)

©2024 Fisk Alloy Wire Inc.  
Percon is a registered  
trademark of Fisk Alloy  
Wire Inc.  
Information provided on  
this page is for reference  
purposes only.

# MAB42E RoHS Compliant, Lead-Free Machinable Brass

---

Fisk Alloy Wire Inc.  
P.O. Box 26  
10 Thomas Road N.  
Hawthorne, NJ 07506 U.S.A.

Phone: (973) 825-8500  
Fax: (973) 427-4585  
E-mail: [sales@fiskalloy.com](mailto:sales@fiskalloy.com)

©2024 Fisk Alloy Wire Inc.  
Percon is a registered  
trademark of Fisk Alloy  
Wire Inc.  
Information provided on  
this page is for reference  
purposes only.